

Surface Preparation Equipment Grinders



FEATURES

- Honda® GXV390 gasoline engine
- Central bearing lubrication system
- 2-position, foldable operator handle
- Integral V-belt tension adjustment system
- Accepts General's MAGNETACH® and Lavina®/EDCO® interchangeable magnetic-type attachments

SG24GHM M-SERIES DUAL HEAD SURFACE GRINDER

The SG24GHM M-Series Surface Grinder is designed for targeted use by contractors and homeowners alike for those job applications where additional capacity and productivity are required. Designed for breaking up deposits of grease, dirt, rubber carpet backing and industrial residues from floors; cleaning concrete, asphalt and tiles; producing exposed, decorative slabs along with a wide range of general concrete grinding job applications. The dual, counter-rotating, multi-accessory, discs balance forces to help reduce operator fatigue and enhance machine control. The SG24GHM accommodates a wide range of industry-standard, interchangeable, attachments including General's MAGNETACH Diamond Segment Grinding System, Tungsten Carbide Coatings Removal System and PCD Coatings Removal System plus, products utilizing the Lavina/EDCO magnetic tooling mounting configuration for unmatched versatility and productivity. For use in non-hazardous environments.

SPECIFICATIONS

Power Source	13.0 HP (9.7 Kw), Honda, GXV390, 4-stroke, gas engine
Starter	Hand rewind
Fuel	Gasoline, unleaded, automotive grade
Frame	Unitized, welded, steel plate
Drive System	V-belt/spur gear-type reduction
Multi-Accessory Disc Configuration	Two each, steel, 12.0 inch (304.8 mm) diameter, elastomeric mounted magnetic attachment discs
Nominal Disc Rotation Speed	250.0 RPM
Dust Port Connection	3.0 inch (76.2 mm) diameter
Product Dimensions (L x W x H)	Length, handle in operating position: 54.3 inches (1379.2 mm) Width: 27.4 inches (696.0 mm) Height: 42.0 inches (1066.8 mm) Length, operator handle folded: 50.5 inches (1282.7 mm) Height, operator handle folded: 26.2 inches (665.5 mm)
Product Weight	307.0 lbs (139.2 kg), less grinding tool attachments

All specifications are general in nature and are not intended for specific application purposes. General Equipment Company reserves the right to make changes in design, engineering, or specifications and to add improvements or discontinue manufacture at any time without notice or obligation. Consult applicable Operator Manual before utilizing. Refer to OSHA 2207 and/or current revisions for specific safety information. Names depicted are the registered trademarks of their respective owners.

Form: GEF21042003_v1.3